

OIL & GAS | UTILITIES

1 elements™

the first place to start

**Mark's**
COMMERCIAL

CONTENTS

SHIRTS	1
PANTS	9
OVERALLS & COVERALLS	13
OUTERWEAR	23
BASEWEAR & MIDWEAR	33
WOMENS STYLES	39
ACCESSORIES	49
FOOTWEAR	
MENS FOOTWEAR	59
WOMENS FOOTWEAR	69

**APPAREL BUILT
AROUND YOU**



SHIRTS

STYLE NUMBER

USO652

SIZES: S-4XL Mens



MENS FR ULTRASOFT® DELUXE SEGMENTED STRIPED Work Shirt

7-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Button down collar
- Two front patch pockets with button down flap
- Waist striping
- Pen pocket
- Placket front
- Shoulder box pleats
- Adjustable button cuff
- Arc Rating: 8.7 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CGSB 155.20. CSA Z462. ASTM F1506. CSA Z96-02 Class 2 Level 2



Back

STYLE NUMBER

USO662

SIZES: S-3XL Mens



MENS FR ULTRASOFT® HENLEY SEGMENTED STRIPED Long Sleeve T-Shirt

6-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Button down collar
- Front chest pocket
- Waist striping
- Arc Rating: 10.9 cal/cm², CAT 2. NFPA 70E. ASTM F1506. CSA Z96-02 Class 2 Level 2



Back

STYLE NUMBER

DFH040 - DFH046

SIZES: S-4XL Mens



MENS PRO DRY LONG SLEEVE FR Hi-Vis Yellow Shirt

The Pro Dry CAT 2 long sleeve shirt provides the wearer with unmatched comfort and performance that meets and exceeds the challenges of moisture management encountered daily on the job.

6.9-oz. DragonWear Inherent Tri-Blend FR Fabric

FEATURES:

- Odor Resistant, powered by SILVER PLUS anti-microbial technology
- Inherently fire and arc-resistant
- Tri-fiber fabric that delivers superior, permanent moisture management
- 3M segmented silver reflective allows fabric to stretch for a perfect fit
- Highly breathable and dries quickly
- Comfortable rib-trim collar
- Arc Rating: 11.0 cal/cm², CAT 2. NFPA 2112. NFPA 70E. ANSI 107, Class 3 Compliant



Back

STYLE NUMBER

DFH050 - DFH057

SIZES: S-5XL Mens



MENS FR PRO DRY LONG SLEEVE FR Hi-Vis Orange Shirt

The Pro Dry CAT 2 long sleeve shirt provides the wearer with unmatched comfort and performance.

6.7-oz. DragonWear Inherent Tri-Blend FR Fabric

FEATURES:

- Odor Resistant, powered by SILVER PLUS anti-microbial technology
- Inherently fire and arc-resistant
- Tri-fiber fabric that delivers superior, permanent moisture management
- 3M segmented silver reflective allows fabric to stretch for a perfect fit
- Highly breathable and dries quickly
- Comfortable rib-trim collar
- Arc Rating: 9.3 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CSA Z96-09 Class 2, Level 2 Compliant



Back

STYLE NUMBER
QT34OR

SIZES: S-4XL Mens



MENS IQ SERIES® COMFORT KNIT FR Long Sleeve Shirt

Your everyday T-shirt just got reinvented for work in low visibility environments.

5.3-oz. 69% Cotton / 25% Polyester / 6% Polyoxadiazole

FEATURES:

- Rib knit collar & cuffs
- Set-in sleeves & full underarm gussets for added mobility
- One concealed chest pocket with pencil stall
- Arc Rating: 8.2 cal/cm², CAT 2. NFPA 2112.
CSA Z96-09 Class 2 Level 2



Back

STYLE NUMBER

100235

SIZES: S-4XL Mens

carhartt 

MENS FR FORCE® COTTON LONG SLEEVE SHIRT

Men's FR t-shirt that's lightweight, fast-drying, and odor-fighting.

6.75-oz. 100% Cotton FR Jersey

FEATURES:

- FastDry® technology wicks away sweat and fights odors
- Side-seam construction minimizes twisting
- Rib-knit crewneck holds its shape
- Left chest pocket; rating labels sewn on
- Arc Rating: 8.9 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

DARK
NAVY

MEDIUM
BLUE

STYLE NUMBER

FRS160

SIZES: S-4XL Mens

carhartt 

MENS FR TWILL SHIRT WITH POCKET FLAP

Designed to handle the most rugged working conditions, this men's button-down shirt keeps you safe from dangerous arcs and flame.

7-oz. 88% Cotton / 12% High-Tenacity Nylon FR twill

FEATURES:

- Carhartt-strong triple-stitched main seams
- Button-down collar and front; Flame-resistant melamine buttons
- Extended sleeve plackets with adjustable two-button cuffs
- Two chest pockets with flaps and button closures
- Arc Rating: 8.6 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

DARK
NAVY

GREY

KHAKI

STYLE NUMBER

DFDLP1270 - DFDLP1277

SIZES: S-5XL Mens



MENS FR PRO DRY CAT 1 LONG SLEEVE SHIRT

True-Flat high-density seams and tagless neckline offer true comfort experience, while increased fabric durability and improved stretch provide longer-lasting wear and flexibility.

5-oz. DragonWear Inherent Tri-Blend FR Fabric

FEATURES:

- Odor Resistant, powered by SILVER PLUS anti-microbial technology
- Inherently fire resistant
- Tri-fiber fabric that delivers superior, permanent moisture management
- Highly breathable and dries quickly
- Ribbed collar and cuffs
- Arc Rating: 5.5 cal/cm², CAT 1. NFPA 70E

COLOURS:



TAN

STYLE NUMBER

SEL2

SIZES: S-4XL Mens



MENS FR LONG SLEEVE TAGLESS HENLEY SHIRT


This CAT 2 AR/FR henley is perfect for ultimate comfort and protection.

7.25-oz. 100% Cotton EXCEL FR® Flame resistant Interlock.

FEATURES:

- Three-button placket
- Knit henley collar
- Rib knit cuff
- Single spade chest pocket
- Arc Rating: 9.6 cal/cm², CAT 2. NFPA 2112

COLOURS:



NAVY

GREY

ORANGE



PANTS

STYLE NUMBER

FRB159

SIZES: 30-54 Mens

carhartt 

MENS FR LOOSE FIT MIDWEIGHT CANVAS PANT

Built to last through several seasons of hard work. Comfortable enough for warm weather, they're made with midweight FR canvas.

8.5-oz. 88% Cotton / 12% High-Tenacity Nylon FR canvas

FEATURES:

- Carhartt-strong triple-stitched main seams
- Generous fit through the seat and thigh and a straight leg opening
- Brass zipper fly with Nomex® FR zipper tape; Arc-resistant button closure at waist
- Multiple utility pockets; Cell phone pocket
- Two reinforced back pockets
- Arc Rating: 12 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

DARK
NAVYGOLDEN
KHAKI

STYLE NUMBER

FRB240

SIZES: 30-54 Mens

carhartt 

MENS FR CANVAS CARGO PANT

Built to last through several seasons of hard work. Comfortable enough for warm weather, they're made with midweight FR canvas.

8.5-oz. 88% Cotton / 12% High-Tenacity Nylon FR Canvas

FEATURES:

- Carhartt-strong triple-stitched main seams
- Comfortable fit through the seat and thigh and a straight leg opening
- Brass zipper fly with Nomex® FR zipper tape; Arc-resistant button closure at waist
- Two large side cargo pockets with pen slots
- Two reinforced back pockets
- Arc Rating: 12 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

BLACK

DARK
NAVY

STYLE NUMBER

104204

SIZES: 30-54 Mens

carhartt 

MENS FR RUGGED FLEX® RELAXED FIT RIGBY PANT

These men's canvas work pants take durability one step further with a certified flame-resistant rating. The midweight canvas maintains its comfortable feel and light stretch for easy movement.

9-oz. 98% Cotton / 2% Spandex Canvas

FEATURES:

- Built to move with Rugged Flex stretch technology
- Comfortable fit through the seat and thigh and a straight leg opening
- Strong sewn-on-seam belt loops
- Right-leg secured cell phone pocket
- Left-leg utility pocket
- CAT 2. NFPA 2112. NFPA 70E

COLOURS:


 DARK
KHAKI


 NAVY

STYLE NUMBER

104205

SIZES: 30-54 Mens

carhartt 

MENS FR RUGGED FLEX® RELAXED FIT RIGBY CARGO PANT

These men's canvas work pants take durability one step further with a certified flame-resistant rating. The midweight canvas maintains its comfortable feel and light stretch for easy movement.

9-oz. 98% Cotton / 2% Spandex Canvas

FEATURES:

- Built to move with Rugged Flex stretch technology
- Comfortable fit through the seat and thigh and a straight leg opening
- Strong sewn-on-seam belt loops
- Secure cargo pocket with utility pocket and cell phone storage
- Reinforced dungaree back pockets
- CAT 2. NFPA 2112. NFPA 70E

COLOURS:


 DARK
KHAKI


 NAVY

STYLE NUMBER

PLC2

SIZES: 29-52 Mens



MENS MIDWEIGHT FR CARGO PANT

If storage is what you're looking for, then this midweight CAT 2 AR/FR cargo pant is the right FR pant for you. Seven total pockets ensure there's a secure place for all of your tools and personal effects.

9-oz. FR 88% Cotton / 12% Nylon

FEATURES:

- Waistband with button closure
- Two slack-style front pockets
- Left & right cargo pocket have two snap closures
- Arc Rating: 12 cal/cm², CAT 2. NFPA 2112

COLOURS:


 NAVY

STYLE NUMBER

QP14

SIZES: 28-56 Mens



MENS IQ SERIES® LIGHTWEIGHT FR PANT

This iQ Series® Lightweight CAT 2 AR/FR Pant is stylishly designed to keep you cool and in command all day long.

6.9-oz. FR Ripstop Twill. 65% Cotton / 35% Polyester

FEATURES:

- Jean style cut with one-piece waistband with concealed button closure
- Two scoop front pockets, concealed pocket on right pocket bag
- Wide/ long belt loops to fit larger belts
- Full crotch gusset and double articulated knees for ease of movement and increased mobility
- Sits at waist, slightly tapered leg
- Arc Rating: 9 cal/cm², CAT 2. NFPA 2112

COLOURS:


 NAVY



OVERALLS & COVERALLS

STYLE NUMBER

USO409

SIZES: 36-66 Mens



MENS FR ULTRASOFT® DELUXE 9 oz. Coveralls

9-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Heavy-duty two-way concealed brass zipper with Nomex® taping and storm flap
- Microphone loops
- Side entry pass-thru opening
- Two front chest pockets with Velcro® flap closure, two front patch pockets, two back pockets, tool pocket on right leg
- Side waist elasticized for improved comfort and fit
- Double knee with knee pad opening
- Arc Rating: 12.4 cal/cm², CAT 2. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. CSA Z96 Class 3, Level 2.



Back

STYLE NUMBER

ASB3108

SIZES: 34-58 Mens



MENS AVENGER 7 oz. Coveralls

7-oz. 88% Cotton / 12% Nylon Twill Weave

FEATURES:

- Mic strap
- Pen pocket
- H2S monitor strap and elastic fastener
- Two front chest pockets with Velcro flap closure, two front patch pockets, two back pockets, two pass through vents
- Side waist elasticized for improved comfort and fit
- Arc Rating: 8.9 cal/cm², CAT 2. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. Class 1 Level FR



Back

STYLE NUMBER

DHSB109

SIZES: 38-58 Mens



MENS WESTEX® DH ANTISTAT 6.5 oz. Deluxe Coveralls

6.5-oz. 48% LENZING™ Lyocell / 39% Modacrylic / 12% Aramid / 1% Carbon Antistatic

FEATURES:

- Mic straps
- Pen pocket
- YKK zipper with flap over zipper closure
- Two front chest patch pockets with snap close flap, two front patch pockets, two back pockets, tool pocket on right leg
- H2S monitor strap and elastic fastener
- Adjustable snap closure cuff
- Arc Rating: 8.9 cal/cm², CAT 2. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. Class 1 Level FR



Back

STYLE NUMBER

USB225

SIZES: S-4XL Mens



MENS FR ULTRASOFT® 9 oz. Insulated Bib Pants

SHELL: 9-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

INSULATION PACKAGE: 12-oz. Modacrylic, wind and vapour barrier

LINING: 88% Cotton / 12% High-Tenacity Nylon

FEATURES:

- Adjustable elastic straps
- Interior wind and vapour barrier
- YKK zipper with flap over zipper closure
- Two front chest patch pockets, two front slash pockets, two back pockets, tool pocket on right leg
- Side elastics for improved comfort and fit
- Leg zippers with flaps
- Arc Rating: 40.6 cal/cm², CAT 4. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. Class 1 Level FR



Back

STYLE NUMBER

USO525

SIZES: S-4XL Mens



MENS FR ULTRASOFT® 9 oz. Insulated Bib Pants

SHELL: 9-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

INSULATION: 7-oz. FR insulation with wind and vapour barrier

LINING: 7-oz. 100% FR cotton

FEATURES:

- Heavy duty two-way concealed brass zipper with Nomex® taping and storm flap
- 25" leg zip closure
- Two front chest pockets with Velcro® flap closure, two front slash pockets, two back pockets, tool pocket on right leg
- Arc Rating: 40.6 cal/cm², CAT 4. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. CSA Z96 Class 2, Level 2 (CSA Z96 Class 3 Level 2 when worn with USO515 Insulated Parka)



Back



STYLE NUMBER

BLCTNV

SIZES: S-3XL Mens

MENS MIDWEIGHT EXCEL FR DELUXE INSULATED BIB OVERALL

SHELL: 7-oz. Twill, 88% Cotton / 12% Nylon, Water-repellent
INSULATION PACKAGE: 14-oz. 100% Modacrylic
LINING: 100% Cotton

FEATURES:

- Reinforced double knees
- Elasticized shoulder straps with non-conductive adjustable hardware
- Five large patch pockets and hip pocket with closure
- Arc Rating: 34 cal/cm², CAT 3. NFPA 2112



STYLE NUMBER

BLCSOR

SIZES: S-3XL Mens

MENS FR COMFORTOUCH® INSULATED BIB OVERALL

SHELL: 7-oz. Twill, 88% Cotton / 12% Nylon, Water-repellent
INSULATION PACKAGE: 14-oz. 100% Modacrylic
LINING: 100% Cotton

FEATURES:

- Reinforced double knees
- Elasticized shoulder straps with non-conductive adjustable hardware
- Five large patch pockets and hip pocket with closure
- Arc Rating: 36 cal/cm², CAT 3

STYLE NUMBER

101627

SIZES: 30-54 Waist, Mens

carhartt 

COLOURS:

BLACK

DARK
NAVY

MENS FR DUCK BIB Unlined Overall

13-oz. 100% Cotton FR Duck

FEATURES:

- High back with FR suspenders and FR center-release buckles
- Multi-compartment bib pocket
- Two large lower-front pockets
- Two reinforced back pockets
- Double-layer knees with openings for adding knee pads
- Ankle-to-above-knee brass leg zips with Nomex® FR zipper tape and protective flaps with arc-resistant snap closures
- Arc Rating: 16 cal/cm², CAT 2. NFPA 2112. NFPA 70E



STYLE NUMBER

USO422

SIZES: S-4XL Mens



MENS FR ULTRASOFT® 9 oz. Bib Pants

9-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Adjustable elastic straps
- Side entry pass-thru opening
- Two front chest pockets, two front slash pockets, two back pockets, tool pocket on right leg
- YKK Zipper, flap over closure
- Leg zippers with flaps
- Arc Rating: 12.4 cal/cm², CAT 2. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. CSA Z96 Class 2, Level 2.



Back

STYLE NUMBER

JXN4YE

SIZES: S-6XL Mens

MENS
FR HI-VIS RAIN JACKET

10-oz. Polyurethane on a Knit Flame resistant Treated Cotton, Water-Repellent

FEATURES:

- Non-conductive durable hardware
- Zipper front with concealed snaps
- Two patch pockets with flaps
- Vented back with "D" ring access
- Arc Rating: 24 cal/cm², CAT 2. ANSI 107-2010
Class 3 Level 2. ANSI 107-2015 Type R Class 3.
ASTM F1891-12. ASTM F2733-09



STYLE NUMBER

BXN4YE

SIZES: S-6XL Mens

MENS
RAIN BIB OVERALL

10-oz. Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

FEATURES:

- Non-conductive durable hardware
- Elasticized shoulder straps with non-conductive adjustable hardware
- Take-up tabs at ankles
- Arc Rating: 24 cal/cm², CAT 2. Hi-Vis Supplemental Class E.
ASTM F1891-06. ASTM F2733-09 (ANSI 107-2010, ANSI 107-2015
when worn with JXN4YE)





OUTERWEAR

STYLE NUMBER

FJBL011 - FJBL016

SIZES: S-4XL Mens

MENS
3-IN-1 JACKET (SHELL)

6.4 oz. 79% Kermel® / 20% modacrylic / 1% anti-static fibre (Glenguard®) with bonded 100% polyurethane FR membrane

FEATURES:

- Reflective 2" silver striping, double-stitched
- YKK 2-way front zipper, inside liner attachment
- Covered ring snaps on fly front/pocket flaps
- Two lower 2-way front and two bellowed chest pockets all with flaps
- Two inside pockets
- Quick release hard hat hood with face protector.
- Adjustable elastic cuffs, drop back, liner attachment elastic-neck, sides and sleeves
- Draw cord waist and microphone loops
- Arc Rating: 24 cal/cm² CAT 2. ASTM F1506. CSA Z462. NFPA 70E. CSA Z96 Class 2, Level 2.



**TOUGH
DUCK**

STYLE NUMBER

FJBL021 - FJBL026

SIZES: S-4XL Mens

MENS
3-IN-1 JACKET (LINER)

14 oz. 55% modacrylic / 45% cotton fleece knit fabric

FEATURES:

- Reflective 2" silver striping, double-stitched, no contrast
- YKK 2-way front zipper, inside liner attachment
- Covered and reinforced ring snaps for hood
- Two lower side entry pockets that double as inside pockets.
- Quick-release hood with reflective stripe
- FR knit cuffs, elastic waist, reinforced liner attachment with buttons on neck, sides and sleeves
- Microphone loops
- Arc Rating: 19.6 cal/cm² CAT 2. ASTM F1506. CSA Z462. NFPA 70E. CSA Z96 Class 2, Level 2.



STYLE NUMBER

USO515

SIZES: S-4XL Mens



MENS ULTRASOFT® 9 OZ. Insulated Parka

SHELL: 9-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)
INSULATION PACKAGE: 12-oz. Modacrylic, wind and vapour barrier
LINING: 88% Cotton / 12% High-Tenacity Nylon

FEATURES:

- Mic straps
- YKK Zipper
- H2S monitor strap and elastic fasteners
- Inside draw cord
- Two front chest patch pockets and two front pockets with snap close flaps, fleece-lined side pocket
- Arc Rating: 40.6 cal/cm², CAT 4. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. CSA Z96 Class 2 Level 2 (CSA Z96 Class 3 Level 2 when worn with USO525 Insulated Bib)



Back

STYLE NUMBER

USB215

SIZES: S-4XL Mens



MENS ULTRASOFT® 9 OZ. Insulated Parka

SHELL: 9-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

INSULATION PACKAGE: 12-oz. Modacrylic, wind and vapour barrier

LINING: 88% Cotton / 12% High-Tenacity Nylon

FEATURES:

- Mic straps
- Pen pocket
- YKK Zipper
- H2S monitor strap and elastic fasteners
- Draw cord
- Interior wind and vapour barrier
- Two front chest patch pockets and two front pockets with snap close flaps, fleece-lined side pocket
- Arc Rating: 40.6 cal/cm², CAT 4. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462.



Back

STYLE NUMBER

JLPCNV

SIZES: S-4XL Mens



MENS EXCEL FR® COMFORTOUCH® Insulated Parka

This heavyweight CAT 3 AR/FR parka is insulated to provide warmth and FR protection and added visibility without excess weight.

SHELL: 7-oz. Twill, 88% Cotton / 12% Nylon, Water-repellent
LINING: 12-oz. Quilted Cotton / Modacrylic Insulation

FEATURES:

- Two-way, separating, heavy-duty Nomex® taped, brass zipper, fully covered with insulated storm flap, concealed snap closure
- Fully insulated stand-up collar & knit storm cuffs with hook-and-loop suppression tabs
- Three large patch pockets with concealed snaps (lower pocket with hand-warmers), one inside chest pocket & sleeve pocket
- CSA compliant reflective trim
- Arc Rating: 34 cal/cm², CAT 3. NFPA 2112.



Back

STYLE NUMBER

JLPSOR

SIZES: S-4XL Mens



MENS HEAVYWEIGHT FR Insulated Parka

A heavyweight CAT 3 AR/FR parka designed to provide warmth and FR protection and CSA compliant visibility without excess weight.

Shell: 7-oz. Twill, 88% Cotton / 12% Nylon, Water-repellent
Lining: 12-oz. Quilted Cotton / Modacrylic Insulation

FEATURES:

- Two-way, separating, heavy-duty Nomex® taped, brass zipper, fully covered with insulated storm flap, concealed snap closure
- Fully insulated stand-up collar & knit storm cuffs with hook-and-loop suppression tabs
- Three large patch pockets with concealed snaps (lower pocket with hand-warmers), one inside chest pocket & sleeve pocket
- Deep-pleated action back and elastic inserts at waist across back with internal snow belt
- CSA compliant reflective trim
- Arc Rating: 34 cal/cm², CAT 3. NFPA 2112.



Back

STYLE NUMBER

DFS140 - DFS147

SIZES: S-5XL Mens



MENS THE SHIELD SOFT SHELL HI-VIS FR Jacket

A durable water repellent jacket that protects you against outrageous weather and keeps you visible.

17.5-oz. Shield FR Fabric (Modacrylic, Lyocell, Twaron Para Aramid)

FEATURES:

- Inherently fire and arc resistant soft-shell jacket
- Inner channel fleece fabric provides warmth and excellent stretch
- Breathable, middle membrane blocks 98% of wind
- Durable, wind-repellent shield
- Microphone clips on chest
- Wide cuffs offer greater comfort and versatility
- Hand pockets with storm flaps
- Optional removable zippered hood
- Arc rating: 65 cal/cm², CAT 4. NFPA 2112. NFPA 70E. CSA Z96 Class 2, Level 2



Back

STYLE NUMBER

DFMN1340 - DFMN1347

SIZES: S-5XL Mens



UNISEX ELEMENTS NOVA Hoodie Jacket

The combination of DragonWear's proprietary, inherent tri-blend FR fabric paired with the rugged IronShield™ FR fabric make this jacket a potent mix of shelter and strength against wind, rain and sleet.

12-oz. DragonWear Inherent Tri-Blend FR Fabric

FEATURES:

- Inherently fire and arc-resistant
- Proprietary fabric technology stands up against wind, rain and sleet
- IronShield™ fabric placed in high-wear areas for increased durability
- Moisture wicking properties promote superior breathability and dry times
- Stretch reflective stripes move with you for greater range of motion
- Drop-tail rear hem and extra-long sleeves provide additional coverage
- Nomex knit cuffs fit snugly to block cold wind up the sleeves
- Over-the-hood hard hat fit without restricting peripheral vision
- Hidden cell phone and hand warmer pockets keep go-to items close
- Contrasting stitching for stylish garment design
- Arc Rating: 25 cal/cm², CAT 3. ANSI 107, Class 3. NFPA 2112. NFPA 70E



Back

STYLE NUMBER

DFML1350 - DFML1357

SIZES: S-4XL Mens



UNISEX ELEMENTS LIGHTNING Jacket

A Hi-Vis FR jacket built to repel wind, rain, and sleet with built-in fleece Balaclava. IronShield fabric technology is strategically placed in high-wear areas for increased durability.

12.3-oz. DragonWear Inherent Tri-Blend FR Fabric

FEATURES:

- Inherently fire and arc-resistant
- Proprietary fabric technology stands up against wind, rain, and sleet
- Moisture wicking properties promote superior breathability and dry times
- Stretch reflective stripes move with you for greater range of movement
- Built-in balaclava design provides on-demand facial protection and warmth
- Close fitting hood design offers over-the-hood hard hat fit without restricting peripheral vision
- Drop-tail rear hem and extra-long sleeves provide additional coverage
- Nomex knit cuffs fit snugly to block cold wind up the sleeves
- A range of storage options like hidden cell phone pocket and hand warmer pocket keep go-to items close
- Contrasting stitching for stylish garment design
- Arc Rating: 25 cal/cm², CAT 3. NFPA 70E. CSA Z96 Class 2, Level 2



Back

STYLE NUMBER

102182

SIZES: S-4XL Mens

carhartt 

MENS FULL SWING® QUICK DUCK® FR COAT

Your job is tough, and that's why you love it. This men's coat has the industry's top safety and technical features to help you stay safe and comfortable when conditions are less than ideal.

88% Cotton / 12% Nylon Quick Duck® Canvas

FEATURES:

- 150g 3M™ Thinsulate™ Platinum FR Insulation for warmth
- Rain Defender® durable water repellent (DWR) keeps you dry and moving in light rain
- Brass zip front with Nomex® FR zip tape; Inner and outer protective flaps with snap closure for electric-arc protection
- Internal rib-knit storm cuffs
- CAT 3. NFPA 2112. NFPA 70E

COLOURS:

DARK
NAVY

STYLE NUMBER

101621

SIZES: S-4XL Mens

carhartt 

MENS DUCK ACTIVE FR JAC/QUILT LINED JACKET

Made with heavyweight cotton canvas that fights off wind and cold while providing protection against flames.

13-oz. 100% cotton FR duck

FEATURES:

- Quilt-lined hood with adjustable Nomex® FR drawcord
- Brass front zip with Nomex® FR zip tape; Inner and outer hook-and-loop storm flaps for electric-arc protection
- Nomex® FR rib-knit cuffs and waistband
- Two lower-front pockets
- Two inner patch pockets with FR hook-and-loop closures
- Arc Rating: 54 cal/cm², CAT 4. NFPA 2112. NFPA 70E

COLOURS:

BLACK

CARHARTT
BROWN

DARK
NAVY



**BASEWEAR &
MIDWEAR**



COLOURS:

ROYAL
BLUE

STYLE NUMBER

75090

SIZES: XS-5XL Unisex

**UNISEX FARGO FR
BASE LAYER CREWNECK**

230 g/m², 48.5% M-Aramid / 48.5% FR Rayon / 3% Antistatic
Single Jersey Knit

FEATURES:

- Double knit cuffs
- Antistatic
- Highly resistant to abrasion
- Moisture moving material
- Flatlock seams
- Arc Rating: 9.2 cal/cm² CAT 2. ASTM F1506. CSA Z462. NFPA 2112. NFPA 70E. CAN-CGSB 155.20-2017

STYLE NUMBER

75490

SIZES: XS-5XL Mens

**MENS FARGO FR
BASE LAYER PANT**

230 g/m², 48.5% M-Aramid / 48.5% FR Rayon / 3% Antistatic
Single Jersey Knit

FEATURES:

- Double knit cuffs
- Antistatic
- Highly resistant to abrasion
- Moisture moving material
- Flatlock seams
- Arc Rating: 9.2 cal/cm² CAT 2. ASTM F1506. CSA Z462. NFPA 2112. NFPA 70E. CAN-CGSB 155.20-2017



COLOURS:

BLACK

STYLE NUMBER

DFB200DH - DFB207DH

SIZES: S-3XL Unisex

UNISEX LIVEWIRE QUARTER ZIP FR SHIRT

12.3-oz. DragonWear Inherent Tri-Blend FR Fabric with Spandex

FEATURES:

- Inherently fire and arc resistant garment
- Moisture-wicking properties paired with increased wind repellency
- Jersey face and lofted channeled fleece back uniquely channels airflow
- 1/4 Zip neck with stand-up collar
- Extra-long hem with flat-lock seam construction
- Anti-itch taffeta tag for greater comfort
- Extra durable wash and wear performance
- Arc Rating: 32 cal/cm² CAT 3. NFPA 2112. NFPA 70E

STYLE NUMBER

DFB100DH - DFB105DH

SIZES: XS-5XL Mens

MENS LIVEWIRE FR BOTTOMS

12.3-oz. DragonWear Inherent Tri-Blend FR Fabric with Spandex

FEATURES:

- Inherently fire and arc resistant garment
- Moisture-wicking properties paired with increased wind repellency
- Jersey face and lofted channeled fleece back uniquely channels airflow
- FR elastic waistband and functional fly
- Exposed FR elastic waistband for all-day comfort and flexibility
- Flat-lock seam construction for lay-flat comfort
- Arc Rating: 32 cal/cm² CAT 3. NFPA 2112. NFPA 70E

STYLE NUMBER

MPGY700

SIZES: S-3XL Mens

**MENS
BASEWEAR FR TOP**

6.75-oz. 45% Modacrylic / 45% Rayon / 10% Para-aramid

FEATURES:

- Inherently flame resistant
- Medium weight
- Form fitting stretch comfort
- Soft fabric with smooth flatlock seams
- Arc Rating: 10 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

GREY

STYLE NUMBER

MPGY710

SIZES: S-3XL Mens

**MENS
BASEWEAR FR BOTTOM**

6.75-oz. 45% Modacrylic / 45% Rayon / 10% Para-aramid

FEATURES:

- Inherently flame resistant
- Medium weight
- Form fitting stretch comfort
- Soft fabric with smooth flatlock seams
- Arc Rating: 10 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

GREY



STYLE NUMBER

MPU8

SIZES: S-5XL Mens



MENS FR LONG SLEEVE Base Layer

This long sleeve CAT 1 AR/FR base layer provides an additional layer of protection within your FR layered system.

5.5-oz. 90% Cotton / 10% Polyester with moisture management finish

FEATURES:

- Tagless self-fabric crewneck collar
- Hemmed, raglan sleeve
- Contrast mesh full underarm gussets
- Arc Rating: 6.4 cal/cm² CAT 1



Back

COLOURS:

GREY



COLOURS:

BLACK

STYLE NUMBER

DF200 - DF207

SIZES: S-5XL Mens

**UNISEX
ALPHA FR VEST**

12-oz. Inherent Tri-Blend Super Fleece FR Fabric

FEATURES:

- Inherently fire and arc resistant
- Breathable with greater wind resistance
- Zippered chest and hand warmer pockets
- Full-length zip front with drop-tail rear hem
- Two inner cargo pockets
- Durable wash and wear performance
- UV fade resistant
- Arc Rating: 40 cal/cm² CAT 4. NFPA 2112. NFPA 70E

STYLE NUMBER

DF7200 - DF7205

SIZES: S-3XL Mens

**UNISEX
MAXX FLEECE FR PANT**

12-oz. Inherent Tri-Blend FR Super Fleece Fabric

FEATURES:

- Designed to be worn as a layering pant under utility pants or bibs
- Roomy and cozy fleece hand pockets
- FR elastic waistband for comfort
- "Lay flat" drawcord at the waist to secure and hold the garment in place
- Nomex[®] cuffs allow you to tuck the hems into socks or boots to seal off cold drafts
- Unisex design that will fit men or women
- Arc Rating: 40 cal/cm² CAT 4. NFPA 2112. NFPA 70E



WOMENS STYLES

STYLE NUMBER

DFDWS1210 - DFDWS1214

SIZES: XS-2XL Womens



WOMENS PRO DRY FR T-SHIRT

The Pro Dry CAT 1 FR short sleeve shirt, originally developed and tested by the U.S. Military, provides the wearer with unmatched comfort and performance that meets and exceeds the challenges of moisture management encountered daily on the job.

5.0-oz. DragonWear Inherent Tri-Blend FR Fabric

FEATURES:

- Odor Resistant, powered by SILVER PLUS anti-microbial technology
- Inherently fire and arc-resistant
- Tri-fiber fabric delivers superior, always permanent moisture management
- Fabric developed and successfully field trialed by the U.S. Military
- True-Flat high density seams and tagless garment labels for a true comfort
- Highly breathable and dries quickly
- Arc Rating: 5.5 cal/cm², CAT 1. NFPA 2112. NFPA 70E

COLOURS:


 NAVY

STYLE NUMBER

QT31

SIZES: XS-3XL Womens



WOMENS IQ SERIES® COMFORT KNIT FR TEE

Your everyday T-shirt just got reinvented for work. This CAT 2 AR/FR long sleeve shirt is a comfortable and stylish part of your PPE system while comfort knit fabric keeps you cool, dry and compliant all day long.

5.3-oz. 69% Cotton/ 25% Polyester/ 6% Polyoxadiazole

FEATURES:

- Rib knit collar & rib knit cuffs
- Raglan sleeves & underarm gussets for added mobility
- Moisture-wicking & breathable fabric
- Fishtail hem
- Arc Rating: 8.2 cal/cm², CAT 2. NFPA 2112

COLOURS:


 CHARCOAL


 DARK BLUE

STYLE NUMBER

QT15

SIZES: XS-3XL Womens



WOMENS IQ SERIES® COMFORT KNIT FR POLO

This long sleeve, lightweight, casual polo shirt is a comfortable and stylish part of your FR layered system.

5.3-oz. 69% Cotton/ 25% Polyester/ 6% Polyoxadiazole

FEATURES:

- Four-button placket & self fabric collar
- Set-in sleeves & concealed rib knit cuffs keep you sleeves in place
- Concealed pencil stall sleeve pocket
- Moisture-wicking, & breathable fabric
- One concealed pencil stall sleeve pocket
- Arc Rating: 8.2 cal/cm², CAT 2. NFPA 2112

COLOURS:

CHARCOAL

DARK
BLUE

STYLE NUMBER

QS51

SIZES: XS-3XL Womens



WOMENS IQ SERIES® COMFORT WOVEN FR LIGHTWEIGHT SHIRT

This lightweight CAT 2 AR/FR shirt will keep you comfortable and protected, while providing a feminine silhouette.

5.5-oz. 50% Aramid/ 25% Lyocell/ 25% Modacrylic

FEATURES:

- Banded, Topstitched collar with red trim at neck seam
- Topstitched cuffs with button closures
- Tailored sleeve placket
- Hemmed front placket with button closure
- Full underarm gusset
- Napoleon pocket on left chest & hidden pockets on each sleeve
- Arc Rating: 8.5 cal/cm², CAT 2. NFPA 2112

COLOURS:

DARK
GREY

NAVY



COLOURS:



COLOURS:



STYLE NUMBER

QS33

SIZES: XS-3XL Womens

WOMENS IQ SERIES® COMFORT WOVEN FR LONG SLEEVE SHIRT

6.5-oz. 88% Cotton / 12% Nylon

FEATURES:

- Banded, Topstitched collar with red trim at neck seam
- Stretch woven mobility panel at back armhole
- Topstitched cuffs with button closures
- Full sideseam gusset
- Concealed sleeve pockets
- Arc Rating: 9.1 cal/cm², CAT 2. NFPA 2112

STYLE NUMBER

QP11

SIZES: 2-20 Womens

WOMENS IQ SERIES® FR WORK PANT

9-oz. 65% Cotton / 35% Polyester

FEATURES:

- Extension belt loops
- Triple-needle felled outseams & seat sem
- One-piece waistband with concealed button closure
- Diamond crotch gusset
- Two slack-style reinforced front pockets and concealed pocket on right pocket bag
- Arc Rating: 10 cal/cm², CAT 2. NFPA 2112

STYLE NUMBER

USO471

SIZES: XS-2XL Womens

**WOMENS ULTRASOFT®
SEGMENTED STRIPED SHIRT**

7.0-oz. 88% Cotton, 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Two patch pockets with button down flap
- Waist striping
- Placket front
- Adjustable buttoned cuff
- Arc Rating: 8.7 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CGSB 155.20, CSA Z462, ASTM F1506. CSA Z96 Class 2 Level 2

STYLE NUMBER

UPN671

SIZES: 26-38 Womens

**WOMENS ULTRASOFT®
CARGO PANTS**

7.0-oz. 88% Cotton, 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Belt loops
- Two front pockets, two leg pockets, two back pockets
- Flap over zipper closure
- Arc Rating: 8.7 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CGSB 155.20, CSA Z462, ASTM F1506



STYLE NUMBER

USO452

SIZES: 34-58 Womens

WOMENS
ULTRASOFT® 7oz. SUIT-ALL TOP

7-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Mic straps
- Pen pocket on left arm
- YKK zipper
- Snap closure
- Two front patch pockets with Velcro close flap
- H2S monitor strap and elastic fasteners
- Velcro closure at cuff
- Arc Rating: 8.7 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CGSB 155.20. CSA Z462. ASTM F1506. CSA Z96 Class 2 Level 2 (Class 3, Level 2 when worn with USO453 bottom)

STYLE NUMBER

USO453

SIZES: 34-58 Womens

WOMENS
ULTRASOFT® 7oz. SUIT-ALL BOTTOM

7-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Adjustable Velcro closure at waist hem and leg hem
- Side elastics at waist for extra comfort
- Two front pockets, two back patch pockets, tool pocket on right leg
- Flap over zipper closure
- Arc Rating: 8.7 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CGSB 155.20. CSA Z462. ASTM F1506. CSA Z96 Class 2 Level 2 (Class 3, Level 2 when worn with USO452 top)



Back



STYLE NUMBER

USB150

SIZES: 34-58 Womens

WOMENS
ULTRASOFT® 9oz. SUIT-ALL TOP

9-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Mic straps
- Pen pocket on left arm
- YKK zipper
- Snap closure
- Two front patch pockets with Velcro close flap
- H2S monitor strap and elastic fasteners
- Velcro closure at cuff
- Arc Rating: 12.4 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CGSB 155.20. CSA Z462. ASTM F1506. Class 1 Level FR

STYLE NUMBER

USB151

SIZES: 34-58 Womens

WOMENS
ULTRASOFT® 9oz. SUIT-ALL BOTTOM

7-oz. 88% Cotton / 12% High-Tenacity Nylon (Ultrasoft®)

FEATURES:

- Adjustable Velcro closure at waist hem and leg hem
- Side elastics at waist for extra comfort
- Two front pockets, two back patch pockets, tool pocket on right leg
- Flap over zipper closure
- Arc Rating: 12.4 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CGSB 155.20. CSA Z462. ASTM F1506. Class 1 Level FR



STYLE NUMBER

OSO474

SIZES: XS-2XL Womens



WOMENS
**SEGMENTED STRIPED FR
 Fleece Full Zip Jacket**

14-oz. 55% modacrylic / 45% cotton

FEATURES:

- Inherently flame resistant
- Two front slash pockets with VISLON® zippers
- Rib knit cuff
- Velcro for optional fleece hood (Style #OPO364)
- Arc Rating: 23 cal/cm², CAT 2. NFPA 2112. NFPA 70E. CSA Z462. CSA Z96 Class 2 Level 2



Back

STYLE NUMBER

MPGY750

SIZES: XS-3XL Womens

**WOMENS
BASEWEAR FR TOP**

6.75-oz. 45% Modacrylic, 45% Rayon, 10% Para-aramid

FEATURES:

- Inherently flame resistant
- Medium weight
- Form fitting stretch comfort
- Soft fabric with smooth flatlock seams
- Arc Rating: 10 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

GREY

STYLE NUMBER

MPGY760

SIZES: XS-3XL Womens

**WOMENS
BASEWEAR FR BOTTOM**

6.75-oz. 45% Modacrylic, 45% Rayon, 10% Para-aramid

FEATURES:

- Inherently flame resistant
- Medium weight
- Form fitting stretch comfort
- Soft fabric with smooth flatlock seams
- Enhanced comfort back
- Arc Rating: 10 cal/cm², CAT 2. NFPA 2112. NFPA 70E

COLOURS:

GREY



STYLE NUMBER

DFW108 - DFW105

SIZES: XS-3XL Womens



WOMENS ALPHA FR JACKET

This jacket is all about keeping you safe without sacrificing the comfort and warmth you need to beat the cold.

8.7-oz. DuPont Nomex III A FR Fabric

FEATURES:

- Inherently fire and arc resistant fleece
- Lofted, lightweight and wind resistant
- Extra long sleeves with glove cuffs for extra coverage
- Hand warmer pockets with two inner cargo pockets
- Drop-tail rear hem for extra coverage
- Arc Rating: 17 cal/cm², CAT 2. NFPA 70E

COLOURS:

BLACK

STYLE NUMBER

DFW500 - DFW508

SIZES: XS-3XL Womens



WOMENS EXXTREME FR JACKET

Some situations are more demanding so you demand more from your gear. This jacket is lightweight, breathable, wind-resistant, water-repellent and fire-resistant.

8.7-oz. DuPont Nomex III A FR Fabric

FEATURES:

- Inherently fire and arc resistant DuPont™ Nomex fleece
- Lofted, lightweight, wind resistant fleece retains body heat
- Rip-stop fabric reinforces shoulders and forearms
- Pit-zip armpit ventilation for body temperature control
- Contoured design for a women's fit
- Zippered handwarmer pockets and two inner cargo pockets
- Arc Rating: 17 cal/cm², CAT 2. NFPA 70E

COLOURS:

BLACK



ACCESSORIES

STYLE NUMBER

79892

SIZES: One Size



FARGO FR BALACLAVA

230 g/m² Single Jersey Knit
48.5% M-Aramid, 48.5% FR Rayon, 3% Antistatic

FEATURES:

- Antistatic
- Highly resistant to abrasion
- Moisture moving material
- Flatlock seams
- Arc Rating: 9.2 cal/cm² CAT 2. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. CAN-CGSB155.20-2017

COLOURS:

ROYAL
BLUE

STYLE NUMBER

DFM830DH

SIZES: One Size



COLD WARRIOR FR BALACLAVA

12.3-oz. DragonWear Inherent Tri-Blend Livewire FR Fabric with Spandex

FEATURES:

- Top has high/low interior construction that maximizes warmth and minimizes weight
- Bottom has a wind-resistant outer surface with lofted fleece interior to retain body heat
- Full head and facial protection extending below the neckline for extra coverage
- Hood converts to a neck gaiter with drop chin
- Water-repellency sheds light rain and snow
- Arc Rating: 28 cal/cm² CAT 3. NFPA 2112. NFPA 70E

COLOURS:

BLACK

STYLE NUMBER

79895

SIZES: One Size



FARGO FR TUQUE HAT

230 g/m² Single Jersey Knit
48.5% M-Aramid, 48.5% FR Rayon, 3% Antistatic

FEATURES:

- Antistatic
- Highly resistant to abrasion
- Moisture moving material
- Flatlock seams
- Arc Rating: 9.2 cal/cm² CAT 2. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. CAN-CGSB155.20-2017

COLOURS:

ROYAL
BLUE

STYLE NUMBER

DF910

SIZES: One Size



DOUBLE SHOT FR HAT

12-oz. Inherent Tri-Blend Super Fleece FR Fabric

FEATURES:

- Inherently fire and arc resistant
- Breathable, 2 times more wind-resistance
- Designed to be worn under a helmet or by itself
- Two-layer fleece Contoured band for extra warmth
- Durable wash and wear performance
- UV fade resistant
- Arc Rating: 40 cal/cm² CAT 4. NFPA 2112. NFPA 70E

COLOURS:

BLACK

STYLE NUMBER

DFB930DH

SIZES: One Size



Also available in Black
(Style #DFB900DH)

LIVEWIRE FR BEANIE

12.3-oz. Inherent Tri-Blend FR Fabric with Spandex

FEATURES:

- Inherently fire and arc resistant
- Moisture-wicking, 4-way stretch for a true comfort experience
- Exclusive proprietary channel knit construction fleece enhances airflow and dry time
- Flat-lock seam construction for comfort under a hard hat
- Arc Rating: 32 cal/cm² CAT 3. ASTM F1506. NFPA 2112. NFPA 70E

COLOURS:

GREY

BLACK

STYLE NUMBER

HMC2BK

SIZES: One Size



MODACRYLIC FR KNIT CAP

10.5-oz. Modacrylic knit

FEATURES:

- Double layers & comfortable
- Fit to wear under hard hat
- Arc Rating: 28 cal/cm² (E_{BT}) CAT 3

COLOURS:

BLACK

STYLE NUMBER

102869

SIZES: One Size

carhartt 

FR KNIT WATCH HAT

55% modacrylic / 45% cotton rib-knit

FEATURES:

- Fold up cuff
- Arc Rating: 19 cal/cm² (E_{BT}) CAT 2. NFPA 70E

COLOURS:

NAVY

STYLE NUMBER

79893

SIZES: One Size




FARGO FR NECK GAITOR

230 g/m² Single Jersey Knit
48.5% M-Aramid, 48.5% FR Rayon, 3% Antistatic**FEATURES:**

- Antistatic
- Highly resistant to abrasion
- Moisture moving material
- Flatlock seams
- Arc Rating: 9.2 cal/cm² CAT 2. ASTM F1506. NFPA 2112. NFPA 70E. CSA Z462. CAN-CGSB155.20-2017

COLOURS:ROYAL
BLUE

STYLE NUMBER

20-1-10697

SIZES: XS-3XL (7-13)

BDG
BOB DALE GLOVESCold resistant also available
(Style #20-9-10697)

ARC TEK™ CUT/IMPACT/ARC SLIP-ON CUFF GLOVES

FEATURES:

- Water repellent grain goatskin
- Arc flash protection
- Abrasion resistant
- Cut resistant liner
- Impact resistant
- Anti-vibration
- Liquid Resistant
- TPR impact guards (Hi-viz)
- Microfiber reinforced thumb saddle
- Padded palm
- Shirred elastic wrist
- Rolled Cuff
- Stitched with Kevlar®
- Arc rating: 60 cal/cm² CAT 4. ANSI105-2016: Cut Level A5.
ANSI/ISEA 138: Impact Level 2

STYLE NUMBER

20-1-10698

SIZES: XS-3XL (7-13)

BDG
BOB DALE GLOVESCold resistant also available
(Style #20-9-10698)

ARC TEK™ CUT/IMPACT/ARC 3" GAUNTLET GLOVES

FEATURES:

- Water repellent grain goatskin
- Arc flash protection
- Abrasion resistant
- Cut resistant liner
- Impact resistant
- Anti-vibration
- Liquid Resistant
- TPR impact guards (Hi-viz)
- Microfiber reinforced thumb saddle
- Padded palm
- Shirred elastic wrist
- Stitched with Kevlar®
- 3" cowhide split leather cuff w/hi-viz yellow and reflective strip
- Arc rating: 60 cal/cm² CAT 4. ANSI105-2016: Cut Level A5.
ANSI/ISEA 138: Impact Level 2

STYLE NUMBER

20-1-10751

SIZES: XS-3XL (9-14)

BDG
BIG DADLE GLOVESCold resistant also available
(Style #20-9-10751)

DENY™ OIL RESISTANT GOATSKIN LEATHER DRIVER

FEATURES:

- Oil resistant goatskin leather
- Cut resistant liner
- Puncture Resistant
- Abrasion Resistant
- Keystone thumb
- Leather thumb crotch
- Shirred wrist
- Rolled cuff
- ANSI Cut Level A5. ANSI Puncture Level 4

STYLE NUMBER

20-1-10753

SIZES: XS-3XL (7-13)

BDG
BIG DADLE GLOVESCold resistant also available
(Style #20-9-10753)

DENY™ OIL RESISTANT GOATSKIN LEATHER DRIVER

FEATURES:

- Oil resistant black grain goatskin back hand
- Hi-viz yellow and black TPR back hand knuckle protectors
- Oil resistant black grain goatskin palm with inner padding
- Double shirred elastic wrist stitched with Kevlar®
- Keystone thumb, TPR protector, black microfiber reinforcement
- Full finger TPR protectors
- 3" black cow split leather cuff with hi-viz and reflective strip
- Cut resistant liner, stitched with Kevlar®
- ANSI Cut Level A5. ANSI Puncture Level 4. ANSI/ISEA Impact 2

STYLE NUMBER

99-9-821

SIZES: S-2XL (9-11)

BDG
BOA DRILE GLOVES

DENY™ PVC COATED GAUNTLET CUFF

FEATURES:

- Triple dipped sandy finish PVC coating
- Seamless Boa liner provides thermal insulation
- Treated with Actifresh® to eliminate bacteria
- Cold resistant
- Liquid resistant
- Abrasion resistant
- 12" Gauntlet cuff
- EN 388 4131. EN511 121

STYLE NUMBER

20-9-1610

SIZES: S-2XL (9-13)

BDG
BOA DRILE GLOVES

GOATSKIN DRIVER WITH C-100 LINING

FEATURES:

- Grain leather goatskin
- (C-100) Thinsulate™ lining
- Shirred elastic wrist
- Cold resistant
- Abrasion resistant
- Puncture resistant
- Keystone thumb
- ANSI Puncture 3

STYLE NUMBER

99-1-6000B

S-2XL (7-11)

BDG
BOB DYLAN GLOVES



X-SITE GRIPPAZ NITRILE GLOVES (BLACK)

FEATURES:

- Double sided fish scale grip
- Wet, dry and oily grip
- Chemical resistant
- 6mil thickness, 24cm length
- 100% Nitrile - No Latex
- EN374-2. EN374-3. CE0321

STYLE NUMBER

99-1-6100B

S-2XL (7-11)

BDG
BOB DYLAN GLOVES



X-SITE GRIPPAZ NITRILE GLOVES (ORANGE)

FEATURES:

- Cut resistant Polyethylene/Steel shell
- Seamless knit for secure fit
- Various lengths available
- Sold individually
- ANSI Cut Level A5.

STYLE NUMBER

99-1-330

LENGTHS: 10" - 20"

BDG
BOB DALE GLOVES

Also available with thumbhole
(Style #99-1-335)

ARC TEK™ CUT RESISTANT SLEEVE

FEATURES:

- Cut resistant Polyethylene/Steel shell
- Seamless knit for secure fit
- Various lengths available
- Sold individually
- ANSI Cut Level A5.

STYLE NUMBER

DFG200 - DFG204

SIZES: S-2XL Mens



FR WATERPROOF LEG GAITERS

Upper 7.2 oz (Kevlar, Nomex, Lower, 16.0 oz (Para Aramid)

FEATURES:

- Interior lined with Nomex FR Fabric that utilizes a 100% waterproof coating
- Durable Kevlar and Nomex Rip-Stop uppers with waterproof Ara-Shield lowers
- Rip-and-Stick 2" wide FR Velcro closures allow easy on and off
- Gaiters are secured on top with 3/4" wide FR webbing & buckle
- FR webbing straps and buckles positioned to not interfere with pole climbing equipment
- Arc Rating: 8.5 cal/cm² CAT 2. NFPA 70E



FOOTWEAR

STYLE NUMBER

5ANADK7-8510

SIZES: 7-14 Mens

DAKOTA



MENS 8" CTCP VIBRAM WORK BOOTS

These leather work boots have tough leather uppers with Duratoe® durable toe caps. Designed for winter outdoor wear, they're equipped with light and warm T-MAX® insulation. Quad Comfort® multi-component technology keeps your feet on the job longer.

FEATURES:

- Leather upper
- DURATOE®, a durable toe cap for additional protection
- T-MAX® insulation
- FRESHTECH® anti-microbial protection
- QUAD COMFORT® to help you move and feel better
- PU midsole
- Vibram rubber outsole
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

5ANADK9-8557

SIZES: 7-15 Mens

DAKOTA



MENS 8" 8557 STCP WORK BOOTS

These rugged steel-toed safety boots from Dakota will be a reliable addition to your work gear. Uppers are made from durable full grain leather, with HYPER-DRI® HD3 waterproof and breathable membranes, providing an impenetrable barrier to the elements while allowing body-generated moisture to escape. The tough Vibram Fire & Ice outsoles are made of a durable flame/heat/oil-resistant compound and provide traction in cold temperatures.

FEATURES:

- Waterproof full grain leather upper
- DURATOE®, a durable toe cap for additional protection
- T-MAX® insulation
- FRESHTECH® anti-microbial protection
- Textile Lining
- Removable polyurethane insole, poured polyurethane midsole
- Vibram Fire & Ice rubber outsole - flame and heat resistant, oil resistant, traction in cold
- Engraved shank for better traction
- CSA Grade 1 Steel Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

5ANADK5-8529

SIZES: 7-15 Mens

DAKOTA



MENS 8" 529 STSP WORK BOOTS

These boots are well-insulated for outdoor work, while offering breathable, moisture-wicking properties to keep your feet dry and comfortable. The soles of your feet benefit from Quad Comfort and Rubberlon midsoles, and rubber outsoles provide anti-slip traction for safety on slick and uneven ground.

FEATURES:

- Full grain leather upper
- DURATOE®, a durable toe cap for additional protection
- Flexible polyurethane welt construction
- Moisture wicking and breathable DRI-TEC lining with 200g T-MAX® insulation
- FRESHTECH® anti-microbial protection
- QUAD COMFORT® STANCE to help you move and feel better
- Rubberlon midsole
- TARANTULA ANTI-SLIP™ rubber outsole
- DURAGUARD® provides advanced protection for your boots
- CSA Grade 1 Steel Toe, Steel Plate. ESR

STYLE NUMBER

HHF182004

SIZES: 7-14 Mens

HH
workwear

MENS 8" CTCP WORK BOOTS

Constructed with waterproof leather uppers and featuring the brand's Helly Tech® waterproof, windproof and breathable technology, these Helly Hansen work boots will keep your feet dry in wet environments.

FEATURES:

- Waterproof full grain leather upper
- HELLY TECH® waterproof, windproof, and breathable membrane
- Waterproof membrane
- Air frame® lining with 400g T-MAX® insulation
- Removable polyurethane sponge insole
- Anti-slip rubber outsole
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

89645

SIZES: 7-15 Mens

Timberland PRO



MENS 8" BOONDOCK CTCP WORK BOOTS

From Timberland PRO, these waterproof leather boots feature an anti-fatigue insole that provides support while reducing impact for long-lasting comfort.

FEATURES:

- Waterproof full grain leather upper with waterproof membrane
- Anti-microbial mesh lining with 200g Thermolite® insulation.
- Molded Vibram toe cap.
- VIBRAM Fire & Ice® rubber outsole is slip-resistant, oil resistant and heat resistant
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

TB0A1Q5U214

SIZES: 7-15 Mens

Timberland PRO



MENS 8" ENDURANCE HD CTCP WORK BOOTS

From Timberland PRO, these waterproof leather boots feature all-weather outsoles for protection on outdoor work sites. When you spend long hours on your feet, you'll appreciate the insoles in these boots which are built using anti-fatigue technology.

FEATURES:

- Waterproof full-grain leather upper with waterproof membrane
- Anti-microbial mesh lining with 200g Thermolite® insulation
- Polyurethane midsole, removable anti-fatigue polyurethane insole
- All-weather TPU outsole is slip-resistant, oil resistant and heat resistant
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

5ANBDK9-6114

SIZES: 7-17 Mens

DAKOTA



MENS 6" 6114 STCP WORK BOOTS

These boots support your feet with four comfort components addressing shock absorption, weight distribution, cushioning and pressure displacement.

FEATURES:

- Full grain leather upper
- T-MAX® insulation
- FRESHTECH® anti-microbial protection
- QUAD COMFORT® to help you move and feel better
- Poured polyurethane welt midsole
- TARANTULA ANTI-SLIP™ rubber outsole
- CSA Grade 1 Steel Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

HHS193002

SIZES: 7-14 Mens

HH
workwear

MENS 6" CTCP WORK BOOTS

These work boots have full grain leather uppers featuring Helly Tech® Performance waterproof membranes to keep you dry.

FEATURES:

- Full grain leather upper
- Rubber toe bumper
- Air frame® lining with 400g T-MAX® insulation
- HELLY TECH® waterproof, windproof, and breathable membrane
- Removable polyurethane sponge insole
- Lightweight EVA midsole
- Rubber outsole
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

HHS193003

SIZES: 7-14 Mens



MENS 6" SUPER RESILIENT STSP WORK BOOTS

These Helly Hansen Workwear men's safety boots are made of Assems super-resilient material that offers a high level of abrasion resistance and the insides are treated to inhibit the growth of odour and stain causing bacteria.

FEATURES:

- Durable Assems nylon upper with hot-melt TPU overlays
- DRI-TEC breathable membrane
- FRESHTECH® anti-microbial protection
- Polyurethane sponge insole
- Lightweight EVA midsole
- Rubber outsole.
- CSA Grade 1 Steel Toe, Steel Plate. Puncture resistant. ESR.

STYLE NUMBER

91631

SIZES: 7-15 Mens



MENS 6" BOONDOCK CTCP WORK BOOTS

Ideal for wet transitional weather, these 6" Timberland PRO work boots are built from premium waterproof leather with all-weather TPU outsoles.

FEATURES:

- Waterproof full grain leather upper with waterproof membrane
- Breathable anti-microbial mesh lining
- Polyurethane midsole, polyurethane insole with anti-fatigue technology
- All-weather TPU outsole is slip-resistant, oil resistant and heat resistant
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

TB0A1Q6R001

SIZES: 7-15 Mens



MENS 6" ENDURANCE HD CTCP WORK BOOTS

From Timberland PRO, these waterproof leather boots feature all-weather outsoles for protection on outdoor work sites.

FEATURES:

- Waterproof full-grain leather upper with waterproof membrane
- Breathable anti-microbial mesh lining
- Polyurethane midsole, removable anti-fatigue polyurethane insole
- All-weather TPU outsole is slip-resistant, oil resistant and heat resistant
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

HHF196120

SIZES: 7-14 Mens



MENS STSP POLYURETHANE WORK BOOT

Featuring a fully-sealed shell, these Helly Hansen Workwear boots are ideal for outdoor and indoor wet environments. They have heavily lugged rubber outsoles for improved traction.

FEATURES:

- Polyurethane upper
- Polyurethane insole
- CSA Grade 1 Steel Toe, Steel Plate. Puncture resistant. ESR

STYLE NUMBER
EC02A33

SIZES: 6-16 Mens

DUNLOP



MENS PUROFORT AND EXPANDER STSP RUBBER BOOT

These Dunlop waterproof, insulated boots are designed for workers exposed to moisture-prone and cold weather worksites. These men's safety boots have shock and energy-absorbing heels and Vibram XS rubber outsoles for slip-resistance and oil-resistance.

FEATURES:

- Polyurethane waterproof upper
- Red Dunlop branded polyurethane lining
- Insulated down to -20°C
- Shock/energy-absorbing heels
- Vibram® XS work rubber outsole is slip resistant and oil resistant
- CSA Grade 1 Steel Toe, Steel Plate. Puncture resistant. ESR.

STYLE NUMBER
E902033

SIZES: 7-15 Mens

DUNLOP



MENS EXPLORER STSP POLYURETHANE BOOTS

These boots are warmer, lighter and longer wearing than traditional rubber boots. The PU uppers are oil and seawater resistant and stay flexible even at very low temperatures.

FEATURES:

- Flexible Purofort shaft
- Thermal insulation up to -50°C
- Anti-bacterial treatment
- New Dunlop red smooth-welded sanitized lining
- Premium insole
- Vibram® Fire & Ice rubber outsole
- Large heel and toe lugs
- CSA Grade 1 Steel Toe, Steel Plate. ESR

STYLE NUMBER

5ANFDKW6-8524

SIZES: 7-14 Mens

DAKOTA



MENS RIGMASTER SYNTROL CTCP WINTER WORK BOOTS

Designed to protect your feet and legs on an industrial work site, these felt pack winter boots are oil and diesel resistant. Frost plugs keep your feet dry, while T-MAX® technology offers lightweight warmth.

FEATURES:

- Oil, diesel and chemical resistant Syntrol upper
- Oil resistant polyurethane shell
- Superior, removable liner system with 400g T-MAX® insulation
- 6mm frost plug helps keep feet dry
- Oil resistant midsole
- Oil and diesel resistant TARANTULA ANTI-SLIP™
- Cold weather rated to -50° to -60°C
- CSA Grade 1 Composite Toe, Composite Plate. ESR

STYLE NUMBER

5ANFDKW8-8527

SIZES: 7-15 Mens

DAKOTA



MENS 8527 STSP LEATHER WINTER WORK BOOTS

Built for work in extreme cold conditions. These winter work boots have Tarantula IceFX outsoles with Green Diamond technology, designed to maximize slip resistance on ice. Ranked by the Toronto Rehabilitation Institute as a top slip-resistant winter boot.

FEATURES:

- Waterproof leather upper
- TPU oil-resistant shell
- Removable liner
- T-MAX® insulation
- TARANTULA ICEFX anti-slip outsole with Green Diamond Technology
- Cold weather rated to -40°C to -50°C.
- CSA Grade 1 Steel Toe, Steel Plate. Puncture resistant. ESR.

STYLE NUMBER

HHF146111

SIZES: 7-15 Mens



MENS FELT PACK CTCP WINTER BOOTS

These insulated CSA Grade 1 comp-toed boots have waterproof shells and uppers that are resistant to oil, diesel and chemicals, making them a great choice for safety on the work site.

FEATURES:

- HELCORE 3D carbon upper is oil, diesel and chemical resistant
- Removable Tru-Form liner for comfort, stability and thermal protection
- 400g T-MAX® insulation
- Frost plug insole
- Rubber outsole with Green Diamond Technology
- CSA Grade 1 Composite Toe, Composite Plate. ESR

STYLE NUMBER

HHF186118

SIZES: 7-15 Mens



MENS CTCP SAFETY WINTER BOOTS

Fitted with removable liners, these Helly Hansen Workwear boots are built to protect your feet in extreme conditions.

FEATURES:

- Oil resistant fabric upper
- Polyurethane shell
- Removable liner
- T-MAX® insulation
- Rubber outsole with Green Diamond Technology
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant. ESR

STYLE NUMBER

5BOADK7-8030

SIZES: 6-11 Womens

DAKOTA



WOMENS 8" 8030 STSP WORK BOOTS

Featuring steel toes and steel puncture-resistant plates, these nubuck leather uppers are protected from abrasion with TPU toe guards and heel counters.

FEATURES:

- Nubuck leather upper
- TPU toe guard and heel counter
- Breathable mesh lining
- FRESHTECH® anti-microbial
- QUAD COMFORT® STANCE, to help you move and feel better
- Removable polyurethane footbed
- Lightweight polyurethane midsole
- Durable TPU outsole
- CSA Grade 1 Steel Toe, Steel Plate. Puncture resistant. ESR

STYLE NUMBER

5BOBAG4-6500

SIZES: 5-11 Womens

AGGRESSOR



WOMENS 6" LYNX II STSP WORK BOOTS

Built for safety and comfort. Tough Nubuck uppers feature durable toe bumpers and breathable mesh and foam linings and are designed for comfort.

FEATURES:

- Buffalo Nubuck leather upper
- TPU DURATOE®, a durable toe cap for additional protection
- Breathable mesh and foam lining
- Removable single density insole
- Durable lightweight polyurethane outsole
- CSA Grade 1 Steel Toe, Steel Plate. ESR

STYLE NUMBER

5BOFDK8-8905

SIZES: 6-10 Womens

DAKOTA



WOMENS 8905 CTCP WINTER SAFETY BOOTS

Equipped with Hyper-Dri® HD3 making them waterproof and breathable, along with Tarantula IceFX outsoles to help maximize slip resistance on ice, these boots provide great safety and protection on outdoor worksites.

FEATURES:

- Waterproof full grain leather upper
- Mesh lining with 400g T-MAX® insulation
- HYPER-DRI® HD3 waterproof membrane
- TARANTULA ICEFX rubber outsole with Green Diamond Technology
- CSA Grade 1 Composite Toe, Composite Plate. Puncture resistant

STYLE NUMBER

HHS166113W

SIZES: 6-11 Womens

HH
workwear


WOMENS STSP POLYURETHANE SAFETY BOOTS

Gear up for wet and muddy weather in these waterproof safety boots. The rubber outsoles provide impressive durability and reliable traction on wet surfaces. These boots are lined with Nylon for wearing comfort.

FEATURES:

- Oil resistant polyurethane upper
- Nylon lining
- Removable comfort insole
- Hi-poly and mesh removable footbed
- Rubber outsole
- CSA Grade 1 Steel Toe, Steel Plate. ESR

SIZE CHART



HOW TO MEASURE: MEN

Neck

Measure around base of neck (lowest part). Number of inches equals neck size.

Sleeve

Start from the center of the back of neck and measure across the shoulder to the elbow and down to the wrist. Round up to the nearest inch.

Chest


With arms at sides, measure across fullest part of the chest, under arms and across shoulder blades. Keep tape measure straight across back.

Waist

Measure your natural waist at the height you normally wear your pants. Keep the tape measure firm but not tight.

Inseam

Measure the inside of your leg from crotch down to the top of the shoe. Measure from the crotch seam to the hem. You may also measure pants that you currently own and like. Lay the garment flat and smooth out. Measure on the front from the crotch point along the seam to the hem for the inseam length.



HOW TO MEASURE: WOMEN

Bust

Measure across fullest part of bust/chest keeping arms relaxed at sides. Keep tape measure straight and parallel to the floor.

Waist

Measure at your natural waistline at its smallest part.

Hip

Measure the fullest part of your hips, approximately 8" below your natural waist.

Inseam

Measure the inside of your leg from crotch down to the top of the shoe. Measure from the crotch seam to the hem. You may also measure pants that you currently own and like. Lay the garment flat and smooth out. Measure on the front from the crotch point along the seam to the hem for the inseam length.

SIZE CHART



MENS SHIRTS

MFC-03 (QT34)								
Alpha Size	S	M	L	XL	XXL	3XL	4XL	5XL
Chest	35-38	38-41	41-45	45-49½	49½-54	54-58½	58½-63	63-67½

MFC-13 (SEL2)										
Alpha Size	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Max.	34½-36	36½-38	38½-40	40½-42	42½-44	44½-46	46½-48	48½-50	50½-52	52½-54

MENS PANTS

SIZE CHART K - specify waist & inseam (QP14)																			
Waist Measurement	28	29	30	31	32	33	34	35	36	38	40	42	44	46	48	50	52	54	56
37 UNF	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

SIZE CHART B - specify waist & inseam (PLC2)														
Waist Measurement	28	29	30	31	32	33	36	38	40	42	44	46	48	50
36 UNF	•	•							•	•	•	•	•	•
37 UNF			•	•	•	•	•	•						

MENS OVERALLS & COVERALLS

MFC-13 (BLCT, BLCs)																		
Alpha Size	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Numeric Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64
Chest Size	28½-30	30½-32	32½-34	34½-36	36½-38	38½-40	40½-42	42½-44	44½-46	46½-48	48½-50	50½-52	52½-54	54½-56	56½-58	58½-60	60½-62	62½-64
Waist Max.	28½	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½

MFC-51 (BXN4)								
Alpha Size	S	M	L	XL	2XL	3XL	4XL	5XL
Chest Max.	33	36	39	42	45	48	51	54

Note: If waist size is larger than chest size, use waist measurement as size.

MENS JACKETS

MFC-17 (JLPC, JLPS)									
Alpha Size	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Numeric Size	34	36	40	44	48	50	52	54	56

MFC-53 (JXN4)								
Alpha Size	S	M	L	XL	2XL	3XL	4XL	5XL
Chest Max.	35	39	43	47	51	55	59	63

SIZE CHART



WOMENS SHIRTS & PANTS

LFC-02 (QP11, QS33, QS51, QT15, QT31)

Alpha Size	XS			S		M		L		XL		XXL		3XL		4XL	
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	32-33	33-34	34-35	35-36	36-37	37-38	38-39½	39½-41	41-42½	42½-44½	44½-46½	46½-48½	48½-50½	50½-52½	52½-54½	54½-56½	56½-58½
Waist	25-26	26-27	27-28	28-29	29-30	30-31	31-32½	32½-34	34-35½	35½-37½	37½-39½	39½-41½	41½-43½	43½-45½	45½-47½	47½-49½	49½-51½
Hip	34½-35½	35½-36½	36½-37½	37½-38½	38½-39½	39½-40½	40½-42	42-43½	43½-45	45-47	47-49	49-51	51-53	53-55	55-57	57-59	59-61



MENS SHIRTS & JACKETS

Chest Measurement	34-36	38-40	42-44	46-48	50-52	54-56	58-60	62-64	66-68
Waist Measurement	28-30	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62
Hip (Seat) Measurement	34-36	38-40	42-44	46-48	50-52	54-56	58-60	62-64	66-68
RECOMMENDED SIZE	S	M	L	XL	2XL	3XL	4XL	5XL	6XL

SHIRT FITS

Original Fit	The most room to move
Relaxed Fit	A closer fit to the body

Talls have 2" longer body; 2" longer sleeve (long sleeve shirts); ½" longer sleeve (short sleeve shirts)

MENS PANTS

Waist Measurement	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62
Hip (Seat) Measurement	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68
RECOMMENDED SIZE	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62

PANT FITS

Straight Fit	Closer-to-the-body fit through the seat and thigh, enough room to move
Relaxed Fit	Comfortable fit through the seat and thigh with room to move
Loose Fit	Generous fit through the seat and thigh with the most room to move

MENS BIB OVERALLS

Waist Measurement (at largest point)	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
RECOMMENDED SIZE	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	—

This measurement is specific to style #101627. Measurements assume bib overall is worn over other clothing.

SIZE CHART



MENS SIZE CHART

MENS	XS	S	M	L	XL	2X	3X	4X	5X
Chest	32	33-36	37-40	41-44	45-48	49-52	53-56	57-60	61-64
Waist	26	27-30	31-34	35-38	39-42	43-46	47-50	51-54	55-58
Hips	30	31-34	35-38	39-42	43-46	47-50	51-54	55-58	59-62
CB Sleeve Length	30	31	32	33	34	35	36	37	38
Inseam	30	31	32	33	34	35	35½	36	36½

WOMENS SIZE CHART

WOMENS	XS	S	M	L	XL	2X	3X	4X	5X
Chest	33	34-35	36-37	38-39	40-42	43-45	46-49	50-53	54-57
Waist	25	26-27	28-29	30-31	32-34	35-37	38-41	42-45	46-49
Hips	34	35-36	37-38	39-40	41-43	44-46	47-50	51-54	55-58
CB Sleeve Length	30	30½	31	31½	32	32½	33	33½	34½

GAITER SIZE CHART

SIZE	Foot Size	Height	Width
S	4-7	15"	13.75"
M	6-9	16.26"	14.63"
L	8-11	17.5"	15.63"
XL	10-13	18.25"	16.63"
2XL	10-13	18.25"	17.63"

Note: All measurements provided are approximate and for reference only. The size conversion chart is a guide only, actual sizing may vary according to the style and fit of the garment.

SIZE CHART



SHIRTS

WORK SHIRT								WOMENS SHIRT							
Size/Tag	S	M	L	XL	2XL	3XL	4XL	Size/Tag	XS	S	M	L	XL	2XL	3XL
Chest	30-32	34-36	38-40	42-44	46-48	50-52	54-56	Chest	18.5	20	21.5	23	24.5	26	28
Neck	18-19	19-20	20-21	21-22	22-23	23-24	24-25	Waist	17.5	19	20.5	22	23.5	25	27
Length Back	30.125	30.75	31.625	32.375	33.125	33.875	34.5	Neck	6	6.25	6.5	6.75	7	7.25	7.875

HENLEY SHIRT

Size/Tag	S	M	L	XL	2XL	3XL	4XL
Chest	30-32	34-36	38-40	42-44	46-48	50-52	54-56
Neck	18-19	19-20	20-21	21-22	22-23	23-24	24-25
Length Back	30	30.5	31	31.5	32	33.5	34.5

WORK PANT

MENS PANT													WOMENS PANT								
Size/Tag	28	30	32	34	36	38	40	42	44	46	48	50	Size/Tag	26	28	30	32	34	36	38	40
Waist	28	30	32	34	36	38	40	42	44	46	48	50	Waist	26	28	30	32	34	36	38	40

COVERALLS

Size/Tag	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70
Chest	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Waist	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
Neck	12.5	13	13.5	14	14.5	15	15.5	16	16.5	17	17.5	18	18.5	19	19.5	20	20.5	21	21.5

OUTERWEAR - PARKAS/COVERALLS

Size/Tag	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66
Waist	26-28	30-32	34-36	38-40	42-44	46-48	50-52	54-56	58-60
Neck	13.5-14	14.5-15	15.5-16	16.5-17	17.5-18	18.5-19	19.5-20	20.5-21	21.5-22

OUTERWEAR - BIB PANTS

Size/Tag	S	M	L	XL	2XL	3XL	4XL
Chest	36-38	40-42	44-46	48-50	52-54	56-58	60-62
Waist	30-32	34-36	38-40	42-44	46-48	50-52	54-56

2-PIECE COVERALL WOMENS & MENS


Size/Tag	34	36	38	40	42	44	46	48	50	52	54
Chest	30	32	34	36	38	40	42	44	46	48	50
Waist	24	26	28	30	32	34	36	38	40	42	44
Neck	13	13.5	14	14.5	15	15.5	16	16.5	17	17.5	18

ALPHA-NUMERIC

Alpha	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Numeric	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66

Note: All measurements provided are approximate and for reference only. The size conversion chart is a guide only, actual sizing may vary according to the style and fit of the garment.

SIZE CHART



MENS JACKET

Numeric	32	36	40	44	48	52	54	56	60
Alpha Size	XS	S	M	L	XL	XXL	3XL	4XL	5XL
Neck (in.)	13-13½	14-14½	15-15½	16-16½	17-17½	18-18½	19-19½	20-20½	21-21½
Chest (in.)	32-34	35-37	38-40	42-44	46-48	49-51	52-54	55-57	58-60
Waist (in.)	26-28	29-31	32-34	36-38	40-42	43-45	46-48	49-51	52-54

WOMENS SIZE CHART FOR MENS STYLES (TOUGH DUCK)

The best way to determine what men's size will fit you best is to match your chest measurement to the men's on the chart below. It's important to note that the sleeve length and legs might be a bit longer and require you to have them shortened.

Numeric	32	36	40	44	48
Alpha Size	XS	S	M	L	XL
Mens Chest (in.)	32-34	35-37	38-40	42-44	46-48
Mens Waist (in.)	26-28	29-31	32-34	36-38	40-42
Womens Chest	35-36	37-39	40-42	43-46	47-50
Womens Waist	26-27	28-30	31-33	34-37	38-41

INDEX

5ANADK5-8529.....	61	A	HHF182004.....	61	USB151.....	45	
5ANADK7-8510.....	60	ASB3108.....	15	HHF186118.....	68	USB215.....	26
5ANADK9-8557.....	60	B	HHF196120.....	65	USB225.....	17	
5ANBDK9-6114.....	63	BLCSOR.....	19	HHS166113W.....	70	USO409.....	14
5ANFDKW6-8524.....	67	BLCTNV.....	19	HHS193002.....	63	USO422.....	21
5ANFDKW8-8527.....	67	BXN4YE.....	22	HHS193003.....	64	USO452.....	44
5BOADK7-8030.....	69	D	HMC2BK.....	52	USO453.....	44	
5BOBAG4-6500.....	69	DF200 - DF207.....	38	J	USO471.....	43	
5BOFDK8-8905.....	70	DF910.....	51	JLPCNV.....	27	USO515.....	25
20-1-10697.....	54	DF7200 - DF7205.....	38	JLPSOR.....	28	USO525.....	18
20-1-10698.....	54	DFB100DH - DFB105DH.....	35	JXN4YE.....	22	USO652.....	2
20-1-10751.....	55	DFB200DH - DFB207DH.....	35	M	USO662.....	3	
20-1-10753.....	55	DFB900DH.....	52	MPGY700.....	36		
20-9-1610.....	56	DFB930DH.....	52	MPGY710.....	36		
20-9-10697.....	54	DFDLP1270 - DFDLP1277.....	8	MPGY750.....	47		
20-9-10698.....	54	DFDWS1210 - DFDWS1214...40		MPGY760.....	47		
20-9-10751.....	55	DFG200 - DFG204.....	58	MPU8.....	37		
20-9-10753.....	55	DFH040 - DFH046.....	4	O			
99-1-330.....	58	DFH050 - DFH057.....	5	OSO474.....	46		
99-1-335.....	58	DFM830DH.....	50	P			
99-1-6000B.....	57	DFML1350 - DFML1357.....	31	PLC2.....	12		
99-1-6100B.....	57	DFMN1340 - DFMN1347.....	30	Q			
99-9-821.....	56	DFS140 - DFS147.....	29	QP11.....	42		
75090.....	34	DFW108 - DFW105.....	48	QP14.....	12		
75490.....	34	DFW500 - DFW508.....	48	QS33.....	42		
79892.....	50	DHSB109.....	16	QS51.....	41		
79893.....	53	E	QT15.....	41	QT31.....	40	
79895.....	51	E902033.....	66	QT34OR.....	6		
89645.....	62	EC02A33.....	66	S			
91631.....	64	F	SEL2.....	8	T		
100235.....	7	FJBL011 - FJBL016.....	24	TBOA1Q5U214.....	62		
101621.....	32	FJBL021 - FJBL026.....	24	TBOA1Q6R001.....	65		
101627.....	20	FRB159.....	10	U			
102182.....	32	FRB240.....	10	UPN671.....	43		
102869.....	53	FRS160.....	7	USB150.....	45		
104204.....	11	H	HHF146111.....	68			
104205.....	11						



HEAD OFFICE

Unit 110 – 205 Quarry Park Blvd SE, Calgary, Alberta, T2C 3E7

P 1.855.592.7444 **W** markscommercial.ca